

BENIGN BREAST CONDITIONS IN YOUNG WOMEN

Benign breast conditions in young women are more common than breast cancer.

JENNY EDGE, MB, BSc Anthropology, MMed (Surg), FRCS (Edin), BSc (Epidemiology and Stats)

Jenny Edge works in private practice at Christian Barnard Memorial Hospital, Cape Town, and has an interest in breast disease.

Correspondence to: Jenny Edge (jmedge@mweb.co.za)

Further reading

1. Chang DS, Mc Grath M. Management of benign tumors of the adolescent breast: Journal of Plastic and Reconstructive Surgery 2007; 120:13e-19e.
2. Sadove M, van Aalst J. Congenital and acquired pediatric breast anomalies: A review of 20 years experience. Journal of Plastic and Reconstructive Surgery 2005;115:1039-1050.
3. Dixon JM (ed). Disease of the breast. Philadelphia: Lippincott Williams & Wilkins. 2003.

MASTALGIA

Mastalgia is one of the commonest breast symptoms presenting to general practitioners and surgeons.

LYDIA CAIRNCROSS

Consultant, Oncology and Endocrine Surgery, Department of General Surgery, Groote Schuur Hospital, Cape Town

Lydia Cairncross is a general surgeon with a special interest in breast and endocrine surgery.

Correspondence to: Lydia Cairncross (lydiacairn@gmail.com)

References

1. Roberts MM, Elton RA, Robinson SE, French K. Consultations for breast disease in general practice and hospital referral patterns. *Br J Surg* 1987;74:1020-1022.
2. Evidence for the Management of Mastalgia (REVIEW). Gumm R, Cunnick GH, Mokbel K. Department of Breast Surgery, St. George's Hospital, Tooting, London, UK.
3. Ader DN, Shriver CD. Cyclical mastalgia: prevalence and impact in an outpatient breast clinic sample. *J Am Coll Surg* 1997;185:466-470.
4. Wisbey JR, Kumar S, Mansel RE, Peece PE, Pye JK, Hughes LE. The natural history of breast pain. *Lancet* 1983;2:672-674.
5. Making the best use of a department of clinical radiology. Guidelines for doctors. 4th edition. London: The Royal College of Radiologists, 1998:70-71.
6. Masroor I, Afzal S, Sakhawat S. Negative predictive value of mammography and sonography in mastalgia with negative physical findings. *J Pak Med Assoc* 2009;59(9):598-601.
7. Hughes LE, Mansel RE, Webster DJT. Benign disorders and diseases of the breast. Concepts and clinical management. London: Balliere-Tindall, 1989:75-92.
8. Barros ACS, Mottola J, Ruiz CA, Borges MN, Pinotti JA. Reassurance in the treatment of mastalgia. *Breast J* 1999;5:162-165.
9. Fentiman IS, Caleffi M, Hamed H, Chaudary MA. Dosage and duration of tamoxifen treatment for mastalgia: a controlled trial. *Br J Surg* 1988;75:845-846.
10. Colak T, Ipek T, Kanik A, Ogetman Z, Aydin S. Efficacy of topical nonsteroidal antiinflammatory drugs in mastalgia treatment. *J Am Coll Surg* 2003;196:525-530.

BREAST CONDITIONS DURING PREGNANCY AND LACTATION

An understanding of unique breast conditions associated with pregnancy and lactation is essential for evaluation and management of breast problems in pregnant or lactating women

S R ČAČALA, BSc, MB ChB, FRACS

Department of Surgery, Grey's Hospital, Pietermaritzburg, KwaZulu-Natal

Shas Čačala is an Australasian-trained general surgeon currently working in Pietermaritzburg. Her subspecialty interests include breast, endocrine and soft-tissue tumour surgery.

Correspondence to: Shas Čačala (shas.cacala@gmail.com)

References

1. Romero C, Lombardia J, Almenar A, et al. Diagnosis and treatment of benign breast lesions during pregnancy. *Radiologia*. 2007;49(4):255-261.
2. Vogel A, Hutchison L, Mitchell EA. Mastitis in the first year postpartum. *Birth* 1999;26:218-225.
3. Kinlay JR, O'Connell DL, Kinlay S. Incidence of mastitis in breastfeeding women during the six months after delivery: a prospective cohort study. *Med J Aust* 1998;169:310-312.
4. Fetherston C. Risk factors for lactation mastitis. *J Hum Lact* 1998;14:101-109.
5. Scott J, Robertson M, Fitzpatrick J, et al. Occurrence of lactational mastitis and medical management: A prospective cohort study in Glasgow. *International Breastfeeding Journal* 2008;3:21.
6. Amir LH, Forster DA, Lumley J, McLachlan H. A descriptive study of mastitis in Australian breastfeeding women: incidence and determinants. *BMC Public Health* 2007;7:62.
7. BestPractice Mastitis and breast abscess. <http://bestpractice.bmj.com/best-practice/monograph/1084/treatment/details/patientgr> 2010/01/28
8. Amir LH, Forster D, McLachlan H, Lumley J. Incidence of breast abscess in lactating women: report from an Australian cohort. *Br J Obstet Gynaecol* 2004;111(12):1378-1381.
9. Benson EA, Goodman MA. Incision with primary suture in the treatment of acute puerperal breast abscess. *Br J Surg* 1970;57:55.
10. Eryilmaz R, Sahin M, Hakan Tekelioglu M, Daldal E. Management of lactational abscesses. *Breast* 2005;14(5):375-379.
11. Lewison EE, Jones GS, Trimble FH, et al. Gigantomastia complicating pregnancy. *Surg Gynecol Obstet* 1960;110:215-23.
12. Swelstad MR, Swelstad BB, Rao VK, Gutowski KA. Management of gestational gigantomastia. *Plast Reconstr Surg* 2006;15:118(4):840-848.
13. Gupta R. The diagnostic impact of aspiration cytodiagnosis of breast masses in association with pregnancy and lactation with emphasis on clinical decision making. *The Breast Journal* 1997;3(3):131-134.
14. Rosenfield Darling ML, Smith DN, Rhei E, et al. Lactating adenoma: sonographic features. *The Breast Journal* 2000;6(4):252-256.
15. Kitamura K, Kuwano H, Kiyomatsu K, et al. Mastopathy of the accessory breast in the bilateral axillary regions occurring concurrently with advanced breast cancer. *Breast Cancer Res Treat* 1995;35:221-224.
16. Pentheroudakis G, Pavlidis N. Cancer and pregnancy: poena magna, not anymore. *Eur J Cancer* 2006;42:126-40.
17. Halaska MJ, Pentheroudakis G, Strnad P, et al. Presentation, management and outcome of 32 patients with pregnancy associated breast cancer: A matched controlled trial. *The Breast J* 2009;15(5):461-467.
18. Mathelin C, Annane K, Teisser A, et al. Pregnancy and post-partum breast cancer: a prospective study. *Anticancer Res* 2008;28(4C):2447-2452.

APPROACH TO THE DIAGNOSIS OF A BREAST LUMP

A breast lump raises the fear of breast cancer in all women.

INES BUCCIMAZZA, MB ChB, FCS (SA)

Senior Specialist, Department of Specialised Surgery, Inkosi Albert Luthuli Central Hospital, and Head, Breast Unit, Nelson R Mandela School of Medicine, University of KwaZulu-Natal, Durban

Ines Buccimazza is a Senior Specialist in the Department of Surgery and a member of the Multidisciplinary Breast Unit at the Nelson R Mandela School of Medicine, University of KwaZulu-Natal, Durban. When not dealing with breast health matters, she is an Epicurean activist.

Correspondence to: I Buccimazza (ines@orthoserve.co.za)

References

1. Barton MB, Elmore JG, Fletcher SW. Breast symptoms among women enrolled in a health maintenance organization: frequency, evaluation, and outcome. *Ann Intern Med* 1999;130:651.
2. Donegan WL. Evaluation of a palpable breast mass. *N Engl J Med* 1992;327:937-942.
3. Santen RJ, Mansel R. Benign breast disorders. *N Engl J Med* 2005;353(3):275-285.
4. Morrow M. The evaluation of common breast problems. *Am Fam Physician* 2000;61:2371-2378,2385.
5. Fletcher SW, Barton MB. Evaluation of breast lumps in primary care http://patients.uptodate.com/genr_med/43947 (accessed 20 October 2007).
6. Tinnemans JGM, Wobbes T, Hendricks JHCL, et al. The role of mammography in the detection of bilateral primary breast cancer. *World J Surg* 1988;12:382-388.
7. Dongola N. Mammography in breast cancer <http://emedicine.medscape.com/article/346529> (accessed 17 September 2010).
8. Zonderland HM, Coerkamp EG, Hermans J, et al. Diagnosis of breast cancer: contribution of US as an adjunct to mammography. *Radiology* 1999;213(2):413-422.
9. Breslin TM, Newman LA. Work-up of abnormal breast findings <http://www.medscape.com/viewprogram/17594> (accessed 5 November 2008).
10. Chuo CD, Corder AP. Core biopsy versus fine needle aspiration cytology in a symptomatic breast clinic. *Eur J Surg Oncol* 2003;29:374-378.
11. Westenend PJ, Sever A, Beekman-de Volder HJC, Liem SJ. A comparison of aspiration cytology and core needle biopsy in the evaluation of breast lesions. *Cancer (Cancer Cytopathology)* 2001; 93(2):146-150.
12. Garg S, Mohan H, Bal A, et al. A comparative analysis of core needle biopsy and fine needle aspiration cytology in the evaluation of palpable and mammographically detected suspicious breast lesions. *Diagn Cytopathol* 2007;35(11):681-689.
13. Ciatto S, Cariaggi P, Bulgaresi P. The value of routine cytologic examination of breast cyst fluid. *Acta Cytol* 1987;31:301-304.

MORE ABOUT... BREAST DISEASE

Further reading

1. Bannayan GA, Hajdu SI. Gynaecomastia: clinicopathologic study of 351 cases. *Am J Clin Pathol* 1972;57:431-437.
2. Braunstein GD. Gynecomastia. *N Engl J Med* 2007;357:1229-1237.
3. Carlson HE. Gynaecomastia. *N Engl J Med* 1980;303:795-799.
4. Evans GF, Antony T, Turnage RH, et al. The diagnostic accuracy of mammography in evaluation of male breast disease. *Am J Surg* 2001;181:96-100.
5. Khan HN, Rampaul R, Blamey RW. Management of physiological gynaecomastia with tamoxifen. *Breast* 2004;13:61-65.
6. Morris PJ, Malt RA, eds. *The Oxford Textbook of Surgery*. Oxford: Oxford University Press, 1994.
7. Satoh T, Munakata H, Fujita K, et al. Studies on interactions between drug and estrogen. *Biol Pharm Bull* 2003;26:695-700.
8. Tashkandi M, Al-Qattan MM, Hassanain JM, Hawary MB, Sultan M. The surgical management of high-grade gynecomastia. *Ann Plast Surg* 2004;53:17-20.

Further reading

1. Leis HP jun. Management of nipple discharge. *World J Surg* 1989;13 6):736-742.